



Did you know?





Did you know?

**There's been a change in the Diabetic
Ketoacidosis (DKA) guidelines!**





Did you know?

There's been a change in the
Diabetic Ketoacidosis (DKA)
guidelines!

UHB and (JBDS) Update:

(1) once blood glucose levels
reach $\leq 14\text{mmol/l}$ (1).





Did you know?

There's been a change in the
Diabetic Ketoacidosis (DKA)
guidelines!

UHB and (JBDS) Update:

(1) once blood glucose levels
reach $\leq 14\text{mmol/l}$ (1).





Did you know?

There's been a change in the
Diabetic Ketoacidosis (DKA)
guidelines!

UHB and (JBDS) Update:

(1) once blood glucose levels
reach $\leq 14\text{mmol/l}$ (1).



(2) reduce the insulin infusion
rate from 0.1 units/kg/hr to
 0.05 units/kg/hr





Did you know?

There's been a change in the
Diabetic Ketoacidosis (DKA)
guidelines!

UHB and (JBDS) Update:

(1) once blood glucose levels
reach $\leq 14\text{mmol/l}$ (1).



(2) reduce the insulin infusion
rate from 0.1 units/kg/hr to
 0.05 units/kg/hr





Did you know?

There's been a change in the
Diabetic Ketoacidosis (DKA)
guidelines!

UHB and (JBDS) Update:


(1) once blood glucose levels reach $\leq 14\text{mmol/l}$ (1).



(2) reduce the insulin infusion rate from 0.1 units/kg/hr to 0.05 units/kg/hr



(3) This is alongside 10% glucose 125ml/hr administration





Did you know?

There's been a change in the
Diabetic Ketoacidosis (DKA)
guidelines!

UHB and (JBDS) Update:


(1) once blood glucose levels reach $\leq 14\text{mmol/l}$ (1).



(2) reduce the insulin infusion rate from 0.1 units/kg/hr to 0.05 units/kg/hr



(3) This is alongside 10% glucose 125ml/hr administration





Did you know?

There's been a change in the
Diabetic Ketoacidosis (DKA)
guidelines!

UHB and (JBDS) Update:


(1) once blood glucose levels
reach $\leq 14\text{mmol/l}$ (1).



(2) reduce the insulin infusion
rate from 0.1 units/kg/hr to
 0.05 units/kg/hr



(3) This is alongside 10%
glucose 125ml/hr
administration



This would decrease the
incidence of hypoglycaemia and
hypokalaemia





Did you know?

There's been a change in the
Diabetic Ketoacidosis (DKA)
guidelines!

UHB and (JBDS) Update:


(1) once blood glucose levels reach $\leq 14\text{mmol/l}$ (1).



(2) reduce the insulin infusion rate from 0.1 units/kg/hr to 0.05 units/kg/hr



(3) This is alongside 10% glucose 125ml/hr administration



This would decrease the
incidence of hypoglycaemia and
hypokalaemia





For further information:



CoMICs VIDEO:
DKA Guidelines

PICS Guide to change
transfusion rates

Created by My Chi Pham & Francesca Pang (UoB MBChB Year 4)





For further information:



CoMICs VIDEO:
DKA Guidelines

PICS Guide to change
transfusion rates

Created by My Chi Pham & Francesca Pang (UoB MBChB Year 4)

